

**STATE & LOCAL LAWS RESTRICTING SMOKING IN HOTEL AND MOTEL
GUEST ROOMS***July 5, 2010*

The following list includes state and local laws restricting smoking in hotel and motel rooms. It indicates the percentage of rooms that must be smokefree in each location, along with any other relevant provisions under the law. The effective date of each law is in parenthesis. Please note that some of the effective dates are in the future.

State and Commonwealth Laws:

Arizona: At least 50% of rooms must be nonsmoking. (5/1/07)

Arkansas: In hotels and motels with more than 25 units, at least 80% of rooms must be nonsmoking. (7/31/06)

California: At least 35% of rooms must be nonsmoking. (1/1/95)

Colorado: At least 75% of rooms must be nonsmoking. (7/1/06)

Connecticut: At least 75% of rooms must be nonsmoking. (10/1/03)

Delaware: At least 75% of rooms must be nonsmoking. (11/27/02)

Georgia: At least 80% of rooms must be nonsmoking. (7/1/05)

Hawaii: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (11/16/06)

Illinois: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/08)

Iowa: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (7/1/08)

Kansas: At least 80% of rooms must be nonsmoking. (7/1/10)

Louisiana: At least 50% of rooms must be nonsmoking, except those operated by casinos and gaming operations. (1/1/07)

Maryland: At least 75% of rooms must be nonsmoking. (2/1/08)

Montana: At least 65% of rooms must be nonsmoking. (10/1/05)

Nebraska: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. (6/1/09)

New Jersey: At least 80% of rooms must be nonsmoking. (4/15/06)

New Mexico: At least 75% of rooms must be nonsmoking. (6/15/07)

North Carolina: At least 80% of rooms must be nonsmoking. (1/2/10)

Northern Mariana Islands: At least 80% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (9/29/09)

Ohio: At least 80% of rooms must be nonsmoking. (12/7/06)

Oklahoma: At least 75% of rooms must be nonsmoking. (9/1/03)

Oregon: At least 75% of rooms must be nonsmoking. (1/1/09)

Pennsylvania: At least 75% of rooms must be nonsmoking. (9/11/08)

Rhode Island: At least 50% of rooms must be nonsmoking. (3/1/05)

Tennessee: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. (10/1/07)

Washington: At least 75% of rooms must be nonsmoking. (12/8/05)

Wisconsin: 100% of rooms must be nonsmoking. (7/5/10)

Local Laws: (Listed alphabetically by state.)

Haines, AK: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and, if feasible, smoking rooms should be designated on uppermost floor to reduce exposure to secondhand smoke. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/4/10)

Juneau, AK: At least 75% of rooms must be nonsmoking. (1/1/02)

Klawock, AK: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (11/4/07)

Unalaska, AK: At least 50% of rooms must be nonsmoking. (8/10/09)

Alexander City, AL: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/09)

Atmore, AL: At least 80% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (11/13/08)

Bay Minette, AL: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/08)

Bayou La Batre, AL: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (8/31/07)

Daphne, AL: At least 70% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (5/18/08)

Decatur, AL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (10/1/07)

East Brewton, AL: At least 80% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (11/1/06)

Eufala, AL: At least 25% of rooms must be nonsmoking. (9/1/03)

Fairhope, AL: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (11/20/06)

Flomaton, AL: At least 80% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (6/23/06)

Foley, AL: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (11/23/06)

Fort Payne, AL: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (4/1/09)

Gadsden, AL: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (5/1/07)

Gardendale, AL: No specified percentage; smoking rooms must be separated from nonsmoking rooms by solid walls with no interconnected doorways and every effort must be made to place smoking floors above nonsmoking floors. (1/1/06)

Geneva, AL: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (7/4/07)

Gulf Shores, AL: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (8/14/07)

Homewood, AL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (5/1/06)

Hoover, AL: At least 75% of rooms must be nonsmoking, as designated on an annual basis. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed during annual period, except to add more nonsmoking rooms. (1/2/09)

Jacksonville, AL: At least 80% of rooms must be nonsmoking. (2/14/06)

Madison, AL: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. (3/8/07)

Mobile, AL: At least 35% of rooms must be nonsmoking. (7/1/94)

Opelika, AL: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (5/21/06)

Orange Beach, AL: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (8/9/07)

Oxford, AL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/07)

Pell City, AL: At least 75% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (4/16/06)

Phenix City, AL: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (2/18/09)

Prichard, AL: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (2/28/07)

Robertsdale, AL: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/2/07)

Spanish Fort, AL: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (9/15/09)

Springville, AL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/08)

Talladega, AL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (9/1/07)

Troy, AL: No specified percentage; smoking rooms must be separated from nonsmoking rooms by solid walls with no interconnected doorways and every effort must be made to place smoking floors above nonsmoking floors. (4/11/06)

Trussville, AL: No specified percentage; smoking rooms must be separated from nonsmoking rooms by solid walls with no interconnected doorways and every effort must be made to place smoking floors above nonsmoking floors. (1/1/06)

Vestavia Hills, AL: No specified percentage; smoking rooms must be separated from nonsmoking rooms by solid walls with no interconnected doorways and every effort must be made to place smoking floors above nonsmoking floors. (9/1/05)

Anchorage, AK: At least 75% of rooms must be nonsmoking. (7/1/07)

Barrow, AK: At least 75% of rooms must be nonsmoking. (2/15/02)

Bethel, AK: 75% of rooms must be nonsmoking. (10/24/98)

Dillingham, AK: 75% of rooms must be nonsmoking. (12/31/03)

Fairbanks, AK: Smoking permitted in 30 rooms or 20% of rooms, whichever is larger. (8/12/04)

Sitka, AK: At least 80% of rooms must be nonsmoking. (11/18/05)

Chandler, AZ: Smoking rooms (no percentage specified) must be physically separated and separately ventilated. Nonsmoking rooms must be permanently designated as such. (10/1/03)

Coconino County, AZ: At least 80% of rooms must be nonsmoking, except in hotels and motels with 26 or fewer rooms, which may designate a percentage of rooms as smoking and nonsmoking. Room designations may not be changed. (2/3/04)

Douglas, AZ: At least 50% of rooms must be nonsmoking. (5/12/99)

Flagstaff, AZ: At least 80% of rooms must be nonsmoking, except in hotels and motels with 26 or fewer rooms, which may designate a percentage of rooms as smoking and nonsmoking. Room designations may not be changed, except to permanently add nonsmoking rooms. (5/1/05)

Gilbert, AZ: At least 50% of rooms must be nonsmoking. (5/1/07)

Goodyear, AZ: At least 80% of rooms must be nonsmoking, unless smoking rooms are on separate partitioned ventilation system. (6/12/02)

Guadalupe, AZ: Smoking rooms (no percentage specified) must be on separately partitioned ventilation system. (5/9/02)

Nogales, AZ: At least 70% of rooms must be nonsmoking. (4/7/03)

Prescott, AZ: No specified percentage; smoking rooms must be on separately partitioned ventilation system. (11/12/03)

Santa Cruz County, AZ: At least 70% of rooms must be nonsmoking. (4/7/03)

Sedona, AZ: At least 50% of rooms must be nonsmoking. (3/10/06)

Tempe, AZ: Smoking is permitted only in rooms that are separately ventilated. (5/21/02)

Youngtown, AZ: At least 50% of rooms must be nonsmoking. (3/20/08)

El Dorado, AR: At least two-thirds of rooms must be nonsmoking. . All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (4/9/06)

Highfill, AR: At least 80% of rooms must be nonsmoking. (7/12/03)

Alameda, CA: 10% of rooms must be nonsmoking. (1/1/88)

Alameda County, CA: At least 75% of rooms must be nonsmoking. (7/15/97)

Albany, CA: At least 80% of rooms must be nonsmoking. (6/19/08)

Antioch, CA: At least 30% of rooms must be nonsmoking. (9/24/93)

Arcata, CA: At least 55% of rooms must be nonsmoking. (7/4/97)

Belmont, CA: At least 90% of rooms must be nonsmoking. (11/9/07)

Berkeley, CA: At least 75% of rooms must be nonsmoking. (1/16/97)

Blue Lake, CA: At least 50% of rooms must be nonsmoking. (7/12/07)

Burlingame, CA: 35% of rooms must be nonsmoking. (8/6/95)

Calabasas, CA: At least 80% of rooms must be nonsmoking. Smoking and nonsmoking rooms must be segregated on separate floors or wings; they may not be interspersed. (3/15/06)

Camarillo, CA: At least 80% of rooms must be nonsmoking. (5/28/10)

Capitola, CA: At least 75% of rooms must be nonsmoking. The status of rooms may not be changed. (5/1/95)

Ceres, CA: At least 50% of rooms must be nonsmoking. (6/10/93)

Clayton, CA: At least 30% of rooms must be nonsmoking. (8/7/92)

Concord, CA: At least 30% of rooms must be nonsmoking. (4/9/93)

Contra Costa County, CA: At least 80% of rooms must be nonsmoking. Smoking and nonsmoking rooms must be segregated on separate floors or wings; they may not be interspersed. (11/17/06)

Cupertino, CA: At least 50% of rooms must be nonsmoking. (6/2/94)

Davis, CA: 75% of rooms must be fixed as nonsmoking. (3/24/93)

Del Mar, CA: At least 50% of rooms must be nonsmoking. (4/15/93)

Downey, CA: 10% of rooms must be nonsmoking. (6/23/89)

Duarte, CA: At least 35% of rooms must be nonsmoking. (6/23/95)

Dublin, CA: 35% of rooms must be nonsmoking. (11/15/02)

El Cajon, CA: At least 80% of rooms must be nonsmoking. Smoking rooms must be segregated from nonsmoking rooms on separate floors, wings, or portions of either; smoking and nonsmoking rooms must not be interspersed. (9/14/07)

El Dorado County, CA: No specified percentage; availability of nonsmoking rooms must be posted in lobby and customers must be routinely advised of their availability. (12/19/91)

Emeryville, CA: At least 60% of rooms must be nonsmoking. (3/1/07)

Fairfax, CA: At least 50% of rooms must be nonsmoking. (5/25/94)

Folsom, CA: At least 50% of rooms in hotels with 50 or more rooms must be nonsmoking. (6/26/94)

Foster City, CA: At least 50% of rooms must be nonsmoking. (3/22/94)

Fremont, CA: At least 60% of rooms must be nonsmoking. (1/1/94)

Galt, CA: At least 35% of rooms must be nonsmoking. (8/18/06)

Glendale, CA: At least 80% of rooms must be nonsmoking. Smoking rooms must be segregated from nonsmoking rooms on separate floors or wings or portions of either. (11/7/08)

Hanford, CA: No specified percentage; availability of nonsmoking rooms must be posted in lobby. (8/19/96)

Hayward, CA: 35% of rooms must be nonsmoking. (6/30/08)

Healdsburg, CA: At least 50% of rooms must be nonsmoking. (4/21/94)

Hercules, CA: At least 30% of rooms must be nonsmoking. (6/28/92)

Imperial Beach, CA: At least 50% of rooms must be nonsmoking. (6/17/06)

Lafayette, CA: At least 30% of rooms must be nonsmoking. (8/24/92)

Laguna Hills, CA: 35% of rooms must be nonsmoking. (2/11/05)

Laguna Woods, CA: At least 80% of rooms must be nonsmoking. (9/12/04)

Lancaster, CA: 10% of rooms must be nonsmoking. (2/4/88)

Larkspur, CA: At least 50% of rooms must be nonsmoking. (7/17/92)

Lemon Grove, CA: At least 50% of rooms must be nonsmoking. (4/5/94)

Lindsay, CA: No specified percentage; availability of nonsmoking rooms must be posted in lobby and customers must be routinely advised of their availability. (5/19/93)

Livermore, CA: At least 75% of rooms must be nonsmoking, and smoking rooms must be separately ventilated. (2/10/94)

Loma Linda, CA: At least 80% of rooms must be nonsmoking. Smoking and nonsmoking rooms must be segregated on separate floors or wings; they may not be interspersed. (7/24/08)

Los Gatos, CA: At least 2/3 of rooms must be nonsmoking. (1/1/92)

Marin County, CA: At least 80% of rooms must be nonsmoking. (2/14/07)

Martinez, CA: At least 80% of rooms must be nonsmoking. (6/6/09)

Mill Valley, CA: At least 50% of rooms must be nonsmoking. (2/21/93)

Millbrae, CA: At least 51% of rooms must be nonsmoking. (8/13/93)

Modesto, CA: At least 50% of rooms must be nonsmoking. (4/6/93)

Monterey, CA: 35% of rooms must be nonsmoking. (3/4/10)

Monterey County, CA: At least 75% of rooms must be nonsmoking. (1/7/94)

Moorpark, CA: At least 80% of rooms must be nonsmoking. (10/2/09)

Napa, CA: At least 50% of rooms must be nonsmoking. (7/6/94)

Napa County, CA: At least 50% of rooms must be nonsmoking. (4/15/94)

Newark, CA: At least 76% of rooms must be nonsmoking. (8/12/07)

Novato, CA: At least 80% of rooms must be nonsmoking. (7/23/08)

Ojai, CA: At least 50% of rooms must be nonsmoking, and smoking rooms must be separately ventilated. (2/14/94)

Orinda, CA: At least 30% of rooms must be nonsmoking. (3/25/92)

Palmdale, CA: 40% of rooms must be nonsmoking. (12/10/1993)

Palo Alto, CA: At least 35% of rooms must be nonsmoking. (10/26/95)

Patterson, CA: At least 50% of rooms must be nonsmoking. (7/1/93)

Petaluma, CA: At least 50% of rooms must be nonsmoking. (9/1/94)

Pinole, CA: At least 50% of rooms must be nonsmoking. (5/20/10)

Pittsburg, CA: At least 35% of rooms must be nonsmoking. (8/5/95)

Placerville, CA: No specified percentage; availability of nonsmoking rooms must be posted in lobby and customers must be routinely advised of their availability. (1/10/92)

Pleasant Hill, CA: At least 50% of rooms must be nonsmoking. (5/26/93)

Pleasanton, CA: At least 75% of rooms must be nonsmoking and smoking rooms must be on separate floor or wing. (2/18/94)

Richmond, CA: At least 30% of rooms must be nonsmoking. (9/5/94)

Ross, CA: At least 50% of rooms must be nonsmoking. (1/13/08)

Sacramento, CA: No specified percentage. Customers must be routinely advised of availability of nonsmoking rooms. (11/8/90)

Sacramento County, CA: No specified percentage. Customers must be routinely advised of availability of nonsmoking rooms. (11/2/90)

Salinas, CA: 75% of rooms must be nonsmoking. (2/8/94)

San Anselmo, CA: At least 50% of rooms must be nonsmoking. (1/1/94)

San Bernadino County, CA: At least 75% of rooms must be nonsmoking. (8/13/04)

San Diego, CA: At least 35% of rooms must be nonsmoking. (6/21/07)

San Francisco, CA: At least 75% of rooms must be nonsmoking. Where possible, designated nonsmoking rooms must not be located on same floor as smoking rooms. Nonsmoking rooms must be permanently designated as such. (4/24/10)

San Jose, CA: At least 50% of rooms must be nonsmoking. To greatest extent feasible, nonsmoking rooms must be grouped together and separated from smoking rooms. (12/23/93)

San Luis Obispo, CA: At least 75% of rooms must be nonsmoking. (5/20/10)

San Mateo, CA: At least 50% of rooms must be nonsmoking. (5/15/93)

San Mateo County, CA: In hotels and motels with more than 50 units, at least 30% of rooms must be nonsmoking. (1/7/92)

San Rafael, CA: At least 50% of rooms must be nonsmoking. (1/1/94)

San Ramon, CA: At least 75% of rooms must be nonsmoking. Smoking rooms in hotels and motels constructed after 1/1/94 must be separately ventilated. (2/25/94)

Santa Barbara, CA: An indeterminate number of nonsmoking rooms must be made available. (7/26/02)

Santa Barbara County, CA: No specified percentage. Signs must be posted in registration area indicating that nonsmoking rooms are maintained and may be available. (3/1/02)

Santa Clara, CA: At least 50% of rooms must be nonsmoking. (4/8/94)

Santa Clarita, CA: At least 50% of rooms must be nonsmoking. (8/1/94)

Santa Cruz, CA: At least 90% of rooms must be nonsmoking. (10/22/09)

Santa Cruz County, CA: At least 75% of rooms must be permanently designated as nonsmoking. (7/22/94)

Santa Rosa, CA: At least 50% of rooms must be nonsmoking. Smoking rooms must be segregated from nonsmoking rooms and not be interspersed. (12/1/06)

Scotts Valley, CA: At least 75% of rooms must be nonsmoking. (7/15/94)

Solana Beach, CA: At least 75% of rooms must be nonsmoking. Smoking rooms must be on separate floors or wings; smoking and nonsmoking rooms may not be interspersed. (8/8/09)

Sonoma, CA: At least 30% of rooms must be nonsmoking. (11/13/92)

Stanislaus County, CA: At least 50% of rooms must be nonsmoking. (4/9/93)

Temecula, CA: At least 75% of rooms must be nonsmoking. (6/8/07)

Thousand Oaks, CA: At least 50% of rooms must be nonsmoking. (10/28/93)

Tiburon, CA: At least 50% of rooms must be nonsmoking. (12/4/92)

Turlock, CA: At least 50% of rooms must be nonsmoking. (6/25/93)

Union City, CA: At least 60% of rooms must be nonsmoking. (11/1/94)

Ventura, CA: At least 50% of rooms must be nonsmoking. (4/24/94)

Ventura County, CA: At least 50% of rooms must be nonsmoking. (2/14/94)

Vista, CA: Hotels must have sufficient nonsmoking rooms to meet customer demand. (6/26/92)

Walnut Creek, CA: At least 30% of rooms must be nonsmoking. (5/21/92)

Watsonville, CA: At least 75% of rooms must be permanently designated as nonsmoking. (8/26/94)

West Sacramento, CA: At least 20% of rooms in hotels and motels built after 11/2/91 must be nonsmoking. (11/2/91)

Whittier, CA: 50% of rooms must be nonsmoking. (12/19/91)

Yountville, CA: 50% of rooms must be nonsmoking. (12/3/90)

Avon, CO: At least 90% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (3/10/06)

Boulder, CO: At least 75% of rooms must be nonsmoking. (4/7/09)

Boulder County, CO: At least 80% of rooms must be nonsmoking. (12/19/04)

Central City, CO: At least 75% of rooms must be nonsmoking. (3/23/07)

Eagle County, CO: At least 90% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (3/10/06)

Fort Collins, CO: At least 75% of rooms must be nonsmoking. (10/1/03)

Frisco, CO: At least 75% of rooms must be nonsmoking. (8/8/06)

Golden, CO: At least 75% of rooms must be nonsmoking. (8/10/06)

Grand Junction, CO: At least 75% of rooms must be nonsmoking. (6/7/06)

Lakewood, CO: At least 75% of rooms must be nonsmoking. (9/11/09)

Loveland, CO: At least 75% of rooms must be nonsmoking. (1/3/07)

Monte Vista, CO: At least 75% of rooms must be nonsmoking. (9/20/06)

Pueblo, CO: At least 75% of rooms must be nonsmoking. (1/1/03)

Rifle, CO: At least 75% of rooms must be nonsmoking. (9/8/06)

San Luis, CO: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (5/4/07)

Steamboat Springs, CO: At least 80% of rooms must be nonsmoking. (7/1/05)

Telluride, CO: At least 75% of rooms must be nonsmoking. (9/19/06)

Athens, GA: At least 80% of rooms must be nonsmoking. (7/7/05)

Bainbridge, GA: 50% of rooms must be nonsmoking. (11/18/03)

Buena Vista, GA: 80% of rooms must be nonsmoking. (4/2/04)

Canton, GA: At least 50% of rooms must be nonsmoking. (7/15/04)

Clarke County, GA: At least 80% of rooms must be nonsmoking. (7/7/05)

Columbia County, GA: At least 80% of rooms must be nonsmoking. (1/1/05)

Conyers, GA: At least 80% of rooms must be nonsmoking. (7/21/05)

Cordele, GA: At least 75% of rooms must be nonsmoking. (6/1/04)

Decatur, GA: At least 75% of rooms must be nonsmoking. (7/1/04)

DeKalb County, GA: 75% of rooms must be nonsmoking. (2/19/03)

Douglas, GA: At least 75% of rooms must be nonsmoking. (6/26/04)

Douglasville, GA: At least 80% of rooms must be nonsmoking. (7/1/05)

Dunwoody, GA: At least 75% of rooms must be nonsmoking. (12/1/08)

Gainesville, GA: At least 80% of rooms must be nonsmoking. (7/1/05)

Gwinnett County, GA: At least 80% of rooms must be nonsmoking. (11/1/05)

Loganville, GA: At least 75% of rooms must be nonsmoking. (5/10/03)

Madison, GA: At least 75% of rooms must be nonsmoking. (11/8/04)

Morrow, GA: At least 80% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (9/22/06)

Peachtree City, GA: At least 80% of rooms must be nonsmoking. (10/19/04)

Rockdale County, GA: At least 80% of rooms must be nonsmoking. (11/1/04)

Snellville, GA: At least 75% of rooms must be nonsmoking. (4/1/04)

Spalding County, GA: At least 80% of rooms must be nonsmoking. (5/10/07)

Tifton, GA: At least 75% of rooms must be nonsmoking. (10/9/04)

Valdosta, GA: 75% of rooms must be nonsmoking. (2/18/04)

Arlington Heights, IL: At least 80% of rooms must be nonsmoking. (1/2/07)

Barrington, IL: At least 80% of rooms must be nonsmoking. (3/1/07)

Batavia, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/22/08)

Bedford Park, IL: At least 75% of rooms must be nonsmoking. (6/1/06)

Benton, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/08)

Berwyn, IL: At least 75% of rooms must be nonsmoking. (2/28/07)

Bloomington, IL: At least 75% of rooms must be nonsmoking. (1/1/07)

Buffalo Grove, IL: At least 90% of rooms must be nonsmoking. (10/1/06)

Calumet City, IL: At least 75% of rooms must be nonsmoking. (7/1/08)

Centralia, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (2/14/08)

Champaign, IL: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (8/1/06)

Chicago, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (2/13/08)

Chicago Heights, IL: At least 75% of rooms must be nonsmoking. (3/22/07)

Cook County, IL: At least 75% of rooms must be nonsmoking. (3/15/07)

Countryside, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (4/10/08)

Deerfield, IL: At least 80% of rooms must be nonsmoking. (1/1/06)

East Molina, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (2/4/08)

East Peoria, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (2/5/08)

Elk Grove Village, IL: At least 80% of rooms must be nonsmoking. (1/1/07)

Elmwood Park, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (3/18/08)

Evanston, IL: At least 75% of rooms must be nonsmoking. Smoke must not infiltrate into areas where smoking is prohibited. (7/1/06)

Frankfort, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/08)

Hanover Park, IL: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (7/1/07)

Highland Park, IL: At least 80% of rooms must be nonsmoking. (6/1/05)

Hinsdale, IL: At least 80% of rooms must be nonsmoking. (7/1/06)

Hoffman Estates, IL: At least 80% of rooms must be nonsmoking. (1/2/07)

Indian Head Park, IL: At least 75% of rooms must be nonsmoking. (2/8/07)

Justice, IL: At least 75% of rooms must be nonsmoking. (3/14/07)

La Grange, IL: At least 75% of rooms must be nonsmoking. (7/1/07)

Lake Bluff, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (4/28/08)

Lemont, IL: At least 75% of rooms must be nonsmoking. (7/1/08)

Libertyville, IL: At least 85% of rooms must be nonsmoking. (10/1/06)

Lincolnshire, IL: At least 85% of rooms must be nonsmoking. (8/1/06)

Lincolnwood, IL: At least 75% of rooms must be nonsmoking. (3/15/07)

Lindenhurst, IL: 100% of rooms must be nonsmoking. (11/16/06)

McLean County, IL: At least 75% of rooms must be nonsmoking. (1/1/07)

Milan, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/22/08)

Morton Grove, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (5/12/08)

Naperville, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/08)

Niles, IL: No specified percentage, but smoking rooms must be separately ventilated to prevent infiltration of smoke into nonsmoking rooms and other areas where smoking is prohibited. (2/27/07)

Normal, IL: At least 75% of rooms must be nonsmoking. (1/1/07)

Norridge, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/08)

North Aurora, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/28/08)

Northbrook, IL: At least 90% of rooms must be nonsmoking. (1/1/07)

Oak Lawn, IL: At least 75% of rooms must be nonsmoking. (1/1/08)

Oak Park, IL: At least 80% of rooms must be nonsmoking. (7/1/06)

Orland Park, IL: At least 75% of rooms must be nonsmoking. (1/2/07)

Palatine, IL: At least 80% of rooms must be nonsmoking. (1/2/07)

Park Forest, IL: At least 75% of rooms must be nonsmoking. (2/12/07)

Plainfield, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/8/08)

Prospect Heights, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (2/15/08)

Riverside, IL: At least 80% of rooms must be nonsmoking. (1/1/07)

Rochelle, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/08)

Rolling Meadows, IL: At least 80% of rooms must be nonsmoking. (1/2/07)

Sangamon County, IL: No specified percentage; All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (9/17/06)

Schaumburg, IL: At least 80% of rooms must be nonsmoking. All smoking rooms must be on same floor or be contiguous. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/2/07)

South Beloit, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (5/29/08)

Springfield, IL: At least 75% of rooms must be nonsmoking. (9/17/06)

Steger, IL: At least 75% of rooms must be nonsmoking. (3/5/07)

Tinley Park, IL: At least 75% of rooms must be nonsmoking. (1/2/07)

Urbana, IL: 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (8/1/06)

Vernon Hills, IL: At least 75% of rooms must be nonsmoking. (10/1/06)

Villa Grove, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (2/8/08)

Wamac, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (3/13/08)

Washington, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (3/3/08)

Westchester, IL: At least 75% of rooms must be nonsmoking. (5/1/07)

Wheaton, IL: At least 80% of rooms must be nonsmoking. (1/2/07)

Wheeling, IL: At least 80% of rooms must be nonsmoking. (3/1/07)

Wilmette, IL: At least 80% of rooms must be nonsmoking. (7/1/04)

Worth, IL: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/10)

Allen County, IN: At least 80% of rooms must be nonsmoking. (6/1/07)

Avon, IN: At least 75% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (9/1/06)

Bloomington, IN: 75% of rooms must be nonsmoking. (8/1/03)

Carmel, IN: At least 80% of rooms must be nonsmoking. (3/5/06)

Columbus, IN: At least 70% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (8/2/05)

Crown Point, IN: At least 30% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (4/1/08)

Cumberland, IN: At least 75% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/08)

Elkhart, IN: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (5/1/08)

Evansville, IN: At least 80% of rooms must be nonsmoking by 1/2/10. (1/2/10)

Fort Wayne, IN: At least 80% of rooms must be nonsmoking. (6/1/07)

Franklin, IN: 100% of rooms must be nonsmoking. (6/8/09)

Goshen, IN: At least 75% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (9/1/07)

Greensburg, IN: At least 75% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (11/7/06)

Greencastle, IN: At least 75% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (9/1/07)

Greenwood, IN: At least 75% of rooms must be nonsmoking. (3/1/06)

Indianapolis, IN: At least 80% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (3/1/06)

Jeffersonville, IN: At least 80% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (5/30/06)

Kokomo, IN: At least 75% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (10/6/06)

Lafayette, IN: At least 75% of rooms must be nonsmoking. Smoke may not directly affect areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (9/1/08)

Lawrence, IN: At least 80% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (7/1/06)

Madison, IN: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (8/1/06)

Plainfield, IN: At least 75% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (2/1/07)

Saint Joseph County, IN: At least 75% of rooms must be nonsmoking. (4/10/06)

Seymour, IN: At least 80% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (7/3/06)

Shelbyville, IN: At least 80% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (8/1/06)

Speedway, IN: At least 80% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (9/1/06)

Valparaiso, IN: At least 80% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (4/1/07)

West Lafayette, IN: At least 75% of rooms must be nonsmoking. Smoking in rooms must not directly affect any nonsmoking rooms and areas of building. The status of rooms may not be changed, except to add more nonsmoking rooms. (7/1/07)

Westfield, IN: At least 80% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (10/14/09)

Whitestown, IN: At least 75% of rooms must be nonsmoking. Smoking may not directly affect nonsmoking rooms and areas in the building. The status of rooms may not be changed, except to add more nonsmoking rooms. (9/11/06)

Glenwood, IA: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (8/20/08)

Abilene, KS: At least 80% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (8/27/05)

Bel Aire, KS: At least 75% of rooms must be nonsmoking. (11/3/05)

Fairway, KS: At least 75% of rooms must be nonsmoking. (1/1/06)

Hesston, KS: At least 75% of rooms must be nonsmoking. (1/1/08)

Kansas City, KS: At least 75% of rooms must be nonsmoking. (12/31/11)

Lawrence, KS: At least 75% of rooms must be nonsmoking. (7/1/04)

Leawood, KS: 100% of rooms must be nonsmoking. (1/2/08)

Maize, KS: At least 75% of rooms must be nonsmoking. (7/24/08)

Mission, KS: 100% of rooms must be nonsmoking. (7/1/08)

Olathe, KS: At least 75% of rooms must be nonsmoking. (11/16/06)

Ottawa, KS: At least 75% of rooms must be nonsmoking. (6/1/08)

Overland Park, KS: 100% of rooms must be nonsmoking. (1/2/08)

Prairie Village, KS: At least 75% of rooms must be nonsmoking. Rooms may be designated as smoking only one time a year. (1/21/06)

Pratt, KS: At least 75% of rooms must be nonsmoking. (5/1/09)

Pratt County, KS: At least 75% of rooms must be nonsmoking. (3/2/09)

Roeland Park, KS: At least 75% of rooms must be nonsmoking. (5/17/06)

Shawnee, KS: At least 75% of rooms must be nonsmoking. (1/2/08)

Topeka, KS: At least 80% of rooms must be nonsmoking. (11/29/09)

Westwood, KS: 100% of rooms must be nonsmoking. (2/21/08)

Clark County, KY: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/12/09)

Elizabethtown, KY: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (12/1/06)

Georgetown, KY: Number of smoking rooms cannot exceed number of rooms previously determined by business decision of hotel or motel. Percentage of smoking rooms in newly constructed rooms may not exceed existing percentage. (11/3/05)

Hardin County, KY: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (4/1/07)

Henderson, KY: At least 80% of rooms must be nonsmoking. All smoking rooms must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (10/1/06)

London, KY: At least 65% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (8/3/09)

Madison County, KY: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (6/11/07)

Morehead, KY: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (8/1/06)

Oldham County, KY: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (2/1/07)

Radcliff, KY: At least 80% of rooms must be nonsmoking. All smoking rooms must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (4/1/10)

Gibbsland, LA: At least 80% of rooms must be nonsmoking. (1/5/06)

Grambling, LA: At least 80% of rooms must be nonsmoking. (8/7/05)

Jefferson Parish, LA: No specified percentage, but smoking rooms must be separately ventilated. (7/12/95)

Sulphur, LA: At least 50% of rooms must be nonsmoking, except for rooms in hotels operated by casino or gaming facilities, which have no restrictions on smoking. (8/14/07)

Sabattus, ME: 75% of rooms must be nonsmoking. (7/5/99)

Baltimore, MD: At least 75% of rooms must be nonsmoking. (1/1/08)

Charles County, MD: At least 60% of rooms must be nonsmoking. (6/15/06)

Howard County, MD: At least 75% of rooms must be nonsmoking. (8/7/06)

Kensington, MD: At least 60% of rooms must be nonsmoking. (12/31/93)

La Plata, MD: At least 60% of rooms must be nonsmoking. (10/1/06)

Montgomery County, MD: At least 60% of rooms must be nonsmoking. (3/30/99)

Rockville, MD: At least 60% of rooms must be nonsmoking. (2/1/04)

Talbot County, MD: At least 60% of rooms must be nonsmoking. (11/28/94)

Amesbury, MA: No specified percentage. Number of rooms designated as nonsmoking must be submitted to Board of Health and no changes in room designations can be made without approval of Board. (3/1/03)

Amherst, MA: At least 50% of rooms must be nonsmoking. Smoking rooms must be permanently designated as such. (9/1/94)

Attleboro, MA: No specified percentage. (4/30/95)

Auburn, MA: No specified percentage; customers must be routinely advised of availability of nonsmoking rooms. (7/1/01)

Bedford, MA: At least 50% of rooms must be nonsmoking. (2/1/95)

Beverly, MA: At least 75% of rooms must be nonsmoking. (8/1/03)

Billerica, MA: 75% of rooms must be nonsmoking. (1/18/95)

Boston, MA: 100% of rooms must be nonsmoking. (12/11/08)

Brimfield, MA: At least 80% of rooms must be nonsmoking. Board of Health must approve any changes in room designation. (3/1/02)

Brookline, MA: At least 90% of rooms must be nonsmoking. (5/25/94)

Cambridge, MA: At least 75% of rooms must be nonsmoking. (10/1/03)

Chelmsford, MA: At least 75% of rooms must be nonsmoking. Nonsmoking rooms may not be located between smoking rooms and must be located so as to use physical barriers and ventilation systems to minimize toxic effects of tobacco smoke on nonsmokers. (4/1/01)

Chelsea, MA: At least 75% of rooms must be nonsmoking. (9/1/03)

Danvers, MA: Hotels must provide reasonable percentage of nonsmoking rooms. (1/1/95)

Dedham, MA: No specified percentage; smoking rooms must have self-closing doors. (1/1/04)

Easthampton, MA: 100% of rooms must be nonsmoking. (10/1/06)

Essex, MA: At least 75% of rooms must be nonsmoking. (11/3/03)

Everett, MA: At least 75% of rooms must be nonsmoking. The status of rooms may not be changed without prior written approval of Board of Health. (7/5/04)

Fitchburg, MA: No specified percentage. Exemptions include "a percentage of hotel and motel sleeping rooms designated as smoking rooms." (2/28/96)

Freetown, MA: At least 75% of rooms must be nonsmoking. (1/1/04)

Gloucester, MA: No specified percentage; customers must be routinely advised of availability of nonsmoking rooms. (1/18/01)

Halifax, MA: No specified percentage. Nonsmoking rooms may not be located between smoking rooms. (8/1/99)

Hancock, MA: At least 75% of rooms must be nonsmoking. (7/1/03)

Hatfield, MA: At least 75% of rooms must be nonsmoking. (7/15/03)

Haverhill, MA: No specified percentage. Number of rooms designated as nonsmoking must be submitted to Board of Health and no changes in room designations can be made without approval of Board. (9/1/02)

Holliston, MA: No specified percentage. Number of rooms designated as nonsmoking must be submitted to Board of Health and no changes in room designations can be made without approval of Board. (7/15/02)

Hubbardston, MA: All hotels and motels must set aside permanent nonsmoking rooms. (12/1/01)

Ipswich, MA: No specified percentage. Number of rooms designated as nonsmoking must be submitted to Board of Health and no changes in room designations can be made without approval of Board. (8/1/03)

Lee, MA: At least 80% of rooms must be nonsmoking. (6/12/01)

Lenox, MA: At least 80% of rooms must be nonsmoking. (6/12/01)

Leominster, MA: No specified percentage. (5/13/98)

Lexington, MA: At least 75% of rooms must be nonsmoking. Nonsmoking rooms may not be located between smoking rooms. (2/15/95)

Littleton, MA: No specified percentage. Number of rooms designated as nonsmoking must be submitted to Board of Health and no changes in room designations can be made without approval of Board. (8/1/02)

Lynn, MA: At least 75% of rooms must be nonsmoking. (7/5/04)

Lynnfield, MA: 90% of rooms must be nonsmoking. (1/2/00)

Marblehead, MA: No specified percentage. (4/15/00)

Middleton, MA: At least 75% of rooms must be nonsmoking. No change in room designations may be made without approval of Board of Health. (2/1/04)

Needham, MA: At least 75% of rooms must be nonsmoking. (2/15/03)

Norfolk, MA: 100% of rooms must be nonsmoking. (1/1/03)

North Adams, MA: At least 70% of rooms must be nonsmoking. (10/1/02)

Orange, MA: No specified percentage. (4/1/95)

Peabody, MA: At least 75% of rooms must be nonsmoking. No change in room designations may be made without approval of Board of Health. (8/19/03)

Pittsfield, MA: At least 70% of rooms must be nonsmoking. (1/1/96)

Provincetown, MA: No specified percentage. Number of rooms designated as nonsmoking must be submitted to Board of Health and no changes in room designations can be made without approval of Board. (10/1/02)

Reading, MA: At least 90% of rooms must be nonsmoking. (7/1/95)

Revere, MA: At least 75% of rooms must be nonsmoking. (8/2/04)

Salem, MA: At least 75% of rooms must be nonsmoking. The status of rooms may not be changed without prior written approval of Board of Health. (1/1/04)

Saugus, MA: At least 75% of rooms must be nonsmoking. Board of Health must approve any changes in room designation. (5/5/03)

Seekonk, MA: No specified percentage; rooms rented to guests must have designations for smokers and nonsmokers. (4/1/95)

Sharon, MA: At least 50% of rooms must be nonsmoking, except for hotels and motels with fewer than 75 rooms, in which at least 30% of rooms must be nonsmoking. (6/18/98)

Somerville, MA: At least 75% of rooms must be nonsmoking. No change in room designations may be made without approval of Board of Health. (10/1/03)

Southampton, MA: 50% of rooms must be nonsmoking. (9/1/94)

Southbridge, MA: At least 80% of rooms must be nonsmoking. Number of rooms designated as nonsmoking must be submitted to Board of Health and no changes in room designations can be made without approval of Board. (6/21/01)

Stockbridge, MA: At least 80% of rooms must be nonsmoking. (3/1/01)

Stoneham, MA: In hotels and motels with more than 15 units, at least 90% of rooms must be nonsmoking. Smoking rooms may not abut nonsmoking rooms on same floor. (8/16/00)

Tewksbury, MA: 75% of rooms must be nonsmoking. (10/1/94)

Townsend, MA: At least 75% of rooms must be nonsmoking. (4/1/99)

Tyngsborough, MA: At least 75% of rooms must be nonsmoking. Nonsmoking rooms may not be located between smoking rooms. (9/14/98)

Wakefield, MA: No specified percentage. (10/1/95)

Watertown, MA: At least 75% of rooms must be nonsmoking. No change in room designations may be made without approval of Board of Health. (5/5/03)

West Springfield, MA: 75% of rooms must be nonsmoking. (12/17/08)

Westford, MA: At least 80% of rooms must be nonsmoking. Nonsmoking rooms may not be located between smoking rooms and must be located so as to use physical barriers and ventilation systems to minimize toxic effects of tobacco smoke on nonsmokers. (7/11/05)

Westport, MA: 75% of rooms must be nonsmoking. (5/15/03)

Weymouth, MA: At least 75% of rooms must be nonsmoking. (1999)

Whately, MA: No specified percentage. Number of rooms designated as nonsmoking must be submitted to Board of Health and no changes in room designations can be made without approval of Board. (7/1/01)

Wilmington, MA: At least 75% of rooms must be nonsmoking. No change in room designations may be made without approval of Board of Health. (10/3/00)

Winchendon, MA: Hotels must set aside permanent nonsmoking rooms. (2/1/00)

Woburn, MA: At least 75% of rooms must be nonsmoking. (3/28/01)

Wrentham, MA: At least 75% of rooms must be nonsmoking. (1/1/03)

Benzie County, MI: 80% of rooms must be nonsmoking. (11/16/09)

Berien County, MI: 80% of rooms must be nonsmoking. (6/1/07)

Calhoun County, MI: 80% of rooms must be nonsmoking. (1/1/08)

Detroit, MI: At least 70% of rooms must be nonsmoking. (8/1/05)

Leelanau County, MI: 80% of rooms must be nonsmoking. (11/16/09)

Lenawee County, MI: 70% of rooms must be nonsmoking. (6/14/07)

Muskegon County, MI: 80% of rooms must be nonsmoking. (11/11/09)

Ottawa County, MI: 80% of rooms must be nonsmoking. (1/1/08)

Saginaw County, MI: At least 75% of rooms must be nonsmoking. (7/24/06)

Saint Clair County, MI: 80% of rooms must be nonsmoking. (7/17/07)

Traverse City, MI: 80% of rooms must be nonsmoking. (8/5/07)

Wayne County, MI: At least 70% of rooms must be nonsmoking. (6/15/05)

Beltrami County, MN: 100% of rooms must be nonsmoking by 1/1/07. (1/1/05)

Olmsted County, MN: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous. (6/1/07)

Amory, MS: At least 80% of rooms must be nonsmoking. (11/2/07)

Bassfield, MS: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (3/4/10)

Brandon, MS: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (5/5/10)

Clinton, MS: At least 80% of rooms must be nonsmoking. (8/14/08)

Collins, MS: At least 80% of rooms must be nonsmoking. (6/5/08)

Columbus, MS: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. (1/5/10)

Corinth, MS: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (11/6/07)

Crystal Springs, MS: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (11/1/08)

Greenville, MS: 75% of rooms must be nonsmoking, but number of smoking rooms may be expanded on given date to meet demands of convention or meeting, provided that added smoking rooms are sufficiently cleaned before being used again as nonsmoking rooms. (10/5/07)

Greenwood, MS: At least 80% of rooms must be nonsmoking. (8/17/07)

Gulfport, MS: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (5/1/08)

Hattiesburg, MS: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/07)

Hernando, MS: At least 80% of rooms must be nonsmoking. (3/8/07)

Hollandale, MS: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (12/3/09)

Jackson, MS: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (2/1/09)

Kosciusko, MS: At least 60% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (11/2/07)

Laurel, MS: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (12/4/08)

Lumberton, MS: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (7/3/10)

Madison, MS: 100% of rooms must be nonsmoking. (6/3/10)

Mayersville, MS: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (9/17/05)

Petal, MS: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (12/20/07)

Prentiss, MS: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (4/1/10)

Ridgeland, MS: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (7/19/07)

Sumrall, MS: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (7/3/10)

Tupelo, MS: At least 80% of rooms must be nonsmoking. (10/5/06)

Walls, MS: At least 80% of rooms must be nonsmoking. (8/1/08)

Blue Springs, MO: At least 80% of rooms must be nonsmoking. (5/1/08)

Chillicothe, MO: An indeterminate number of nonsmoking rooms must be made available. (1/1/08)

Clayton, MO: At least 80% of rooms must be nonsmoking. The status of rooms may only be changed once during any twelve month period. (7/14/09)

Columbia, MO: No specified percentage; smoking rooms must be designated. (1/9/07)

Gladstone, MO: 90% of rooms must be nonsmoking. The status of rooms may only be changed once during any 12-month period. (2/23/09)

Independence, MO: At least 80% of rooms must be nonsmoking. (3/17/07)

Kansas City, MO: 75% of rooms must be nonsmoking, but number of smoking rooms may be expanded on given date to meet demands of convention or meeting, provided that added smoking rooms are sufficiently cleaned before being used again as nonsmoking rooms. (3/24/08)

Kirkwood, MO: 80% of rooms must be nonsmoking. (1/2/10)

Lake Saint Louis, MO: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (9/15/10)

Lee's Summit, MO: At least 80% of rooms must be nonsmoking. (12/10/06)

Liberty, MO: At least 75% of rooms must be nonsmoking. (4/9/09)

North Kansas City, MO: 75% of rooms must be nonsmoking, but number of smoking rooms may be expanded on given date to meet demands of convention or meeting, provided that added smoking rooms are sufficiently cleaned before being used again as nonsmoking rooms. (8/10/08)

St. Louis, MO: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/11)

St. Louis County, MO: At least 80% of rooms must be nonsmoking. The status of rooms may only be changed once a year. (1/2/11)

Town and Country, MO: At least 30% of rooms must be nonsmoking. (7/10/95)

Warrensburg, MO: 80% of rooms must be nonsmoking, but percentage of smoking rooms may increase when there is 75% or greater occupancy due to conventions or meetings. (11/23/10)

Grand Island, NE: At least 80% of rooms must be nonsmoking. (6/1/08)

Humboldt, NE: At least 80% of rooms must be nonsmoking. (6/1/08)

Lincoln, NE: At least 80% of rooms must be nonsmoking. (11/2/04)

Ralston, NE: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (12/31/07)

Atlantic City, NJ: At least 80% of rooms must be nonsmoking. (4/15/07)

Alamogordo, NM: At least 75% of rooms must be nonsmoking. (8/19/07)

Albuquerque, NM: 75% of rooms must be nonsmoking. (6/27/03)

Bayard, NM: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (8/10/06)

Curry County, NM: At least 75% of rooms must be nonsmoking. Smoke must not infiltrate into areas where smoking is prohibited. (10/7/07)

Dona Ana County, NM: At least 75% of rooms must be nonsmoking, provided that employees medically unable to work in non-smoke free air are reasonably accommodated. (2/8/02)

Edgewood, NM: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (8/6/05)

Elephant Butte, NM: At least 75% of rooms must be nonsmoking. (8/6/07)

Espanola, NM: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. (1/1/07)

Gallup, NM: At least 75% of rooms must be nonsmoking. (8/19/07)

Las Cruces, NM: At least 75% of rooms must be nonsmoking. (8/6/07)

Los Lunas, NM: At least 75% of rooms must be nonsmoking. (7/31/07)

Mesilla, NM: 100% of rooms must be nonsmoking. (1/1/07)

Portales, NM: At least 75% of rooms must be nonsmoking. (9/9/07)

Rio Rancho, NM: At least 75% of rooms must be nonsmoking. (11/5/07)

Santa Clara, NM: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (4/1/06)

Santa Fe, NM: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (6/30/06)

Taos, NM: At least 75% of rooms must be nonsmoking. (6/24/07)

Tucumcari, NM: At least 75% of rooms must be nonsmoking. (7/31/07)

Putnam County, NY: At least 50% of rooms must be nonsmoking. (1/1/01)

Westchester County, NY: No specified percentage. Hotels may designate certain number of rooms as smoking, provided they are contiguous. (6/4/03)

Boone, NC: At least 80% of rooms must be nonsmoking. (1/2/10)

Buncombe County, NC: At least 80% of rooms must be nonsmoking. (1/2/10)

Montreat, NC: No specified percentage. Specified hotels may apply for exemption for maximum of 20% of total square footage. (12/14/93)

Bexley, OH: At least 80% of rooms must be nonsmoking. (1/2/05)

Cincinnati, OH: At least 70% of rooms must be nonsmoking. (4/13/05)

Cleveland, OH: Hotels must have sufficient nonsmoking rooms to meet customer demand. (7/9/87)

Cleveland Heights, OH: At least 25% of rooms must be nonsmoking, but number of smoking rooms may be expanded to meet demands of convention. (1/1/88)

Columbus, OH: At least 80% of rooms must be nonsmoking. (6/28/04)

Dublin, OH: At least 85% of rooms must be nonsmoking. (2/1/05)

Findlay, OH: Hotels must have sufficient nonsmoking rooms to meet customer demand. (9/21/04)

Gahanna, OH: At least 80% of rooms must be nonsmoking. (11/8/05)

Grandview Heights, OH: At least 80% of rooms must be nonsmoking. (1/2/05)

Granville, OH: At least 80% of rooms must be nonsmoking. (1/1/06)

Heath, OH: At least 80% of rooms must be nonsmoking. (1/1/06)

Hilliard, OH: At least 80% of rooms must be nonsmoking. (5/1/05)

Lakewood, OH: Hotels must have sufficient nonsmoking rooms to meet customer demand. (12/8/87)

Maple Heights, OH: Hotels must have sufficient nonsmoking rooms to meet customer demand. (3/20/89)

Marble Cliff, OH: At least 85% of rooms must be nonsmoking. (2/28/05)

Mayfield Village, OH: At least 10% of rooms must be nonsmoking. (10/20/86)

New Albany, OH: At least 85% of rooms must be nonsmoking. (6/16/05)

Newark, OH: At least 80% of rooms must be nonsmoking. (1/1/06)

Parma, OH: Hotels must have sufficient nonsmoking rooms to meet customer demand, except during conventions. (7/18/88)

Parma Heights, OH: At least 50% of rooms must be nonsmoking, except during conventions. (11/8/87)

Powell, OH: At least 65% of rooms must be nonsmoking. (8/3/04)

Summit County, OH: At least 80% of rooms must be nonsmoking. (2/28/06)

University Heights, OH: At least 50% of rooms must be nonsmoking, except during conventions. (1/31/88)

Upper Arlington, OH: At least 80% of rooms must be nonsmoking. (9/13/04)

Westerville, OH: At least 80% of rooms must be nonsmoking. (8/15/05)

Worthington, OH: At least 80% of rooms must be nonsmoking. (9/7/04)

Bethany, OK: At least 75% of rooms must be nonsmoking. Smoke must not infiltrate into areas where smoking is prohibited. (8/7/07)

Choctaw, OK: At least 75% of rooms must be nonsmoking. (8/27/07)

Guymon, OK: 75% of rooms must be nonsmoking. (10/8/03)

Muskogee, OK: At least 75% of rooms must be nonsmoking. (11/14/05)

Oklahoma City, OK: At least 75% of rooms must be nonsmoking. (9/23/03)

Warner, OK: At least 75% of rooms must be nonsmoking. (11/7/06)

Philadelphia, PA: At least 75% of rooms must be nonsmoking. (9/14/06)

Aiken County, SC: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (9/17/08)

Beaufort, SC: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (5/27/08)

Beaufort County, SC: At least 75% of rooms must be nonsmoking. (1/11/07)

Bluffton, SC: At least 75% of rooms must be nonsmoking. (1/12/07)

Camden, SC: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (9/28/08)

Cayce, SC: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (6/1/10)

Charleston, SC: At least 75% of rooms must be nonsmoking. (8/20/07)

Columbia, SC: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (12/8/06)

Easley, SC: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/09)

Ediston Beach, SC: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (3/1/09)

Fort Mill, SC: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (8/1/09)

Greenville, SC: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/07)

Hilton Head Island, SC: At least 75% of rooms must be nonsmoking. (5/1/07)

Isle of Palms, SC: At least 75% of rooms must be nonsmoking. (1/1/09)

Lexington, SC: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (10/2/08)

Lexington County, SC: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/10)

Liberty, SC: At least 75% of rooms must be nonsmoking. (10/9/06)

Mount Pleasant, SC: At least 75% of rooms must be nonsmoking. (9/29/07)

North Augusta, SC: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (8/1/08)

Pickens, SC: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (5/1/09)

Pine Ridge, SC: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/10)

Ravenel, SC: At least 75% of rooms must be nonsmoking. (4/27/10)

Richland County, SC: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (10/1/08)

Rock Hill, SC: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (5/1/09)

Springdale (Lexington County), SC: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/10)

Sullivan's Island, SC: At least 75% of rooms must be nonsmoking. (7/20/06)

Sumter, SC: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (4/20/09)

Surfside Beach, SC: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (11/11/08)

Walterboro, SC: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (8/1/08)

West Columbia, SC: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. (6/1/10)

York County, SC: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (5/1/09)

Abilene, TX: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/3/07)

Alton, TX: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (4/1/08)

Angleton, TX: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (3/1/07)

Austin, TX: At least 75% of rooms must be nonsmoking. (11/10/03)

Baytown, TX: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (11/20/06)

Beaumont, TX: At least 75% of rooms must be nonsmoking. (8/1/06)

Brenham, TX: At least 80% of rooms must be nonsmoking. The status of rooms may not be changed, except to add more nonsmoking rooms. (7/19/07)

Caldwell, TX: At least 75% of rooms must be nonsmoking. (6/1/07)

Conroe, TX: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. (3/1/10)

Copperas Cove, TX: At least 25% of rooms must be nonsmoking. (7/1/04)

El Paso, TX: 75% of rooms must be nonsmoking. (1/2/02)

Flower Mound, TX: At least 90% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/09)

Fort Worth, TX: At least 75% of rooms must be nonsmoking. (1/1/08)

Galveston, TX: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/10)

Georgetown, TX: At least 75% of rooms must be nonsmoking. (12/13/06)

Greenville, TX: At least 50% of rooms must be nonsmoking. (1/1/00)

Harlingen, TX: At least 75% of rooms must be nonsmoking. (3/23/05)

Houston, TX: At least 65% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (9/1/07)

Kaufman, TX: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (10/8/07)

Killeen, TX: At least 75% of rooms must be nonsmoking. (6/1/09)

Lake Jackson, TX: At least 80% of rooms must be nonsmoking. All smoking rooms on same floor must be contiguous and smoke may not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (5/1/06)

Laredo, TX: At least 75% of rooms must be nonsmoking. (7/3/06)

League City, TX: At least 75% of rooms must be nonsmoking. (1/23/07)

Leander, TX: At least 50% of rooms must be nonsmoking. (3/1/01)

Mansfield, TX: At least 90% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (2/9/09)

Marshall, TX: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. (8/1/07)

McAllen, TX: At least 75% of rooms must be nonsmoking. (5/3/07)

McKinney, TX: At least 90% of rooms must be nonsmoking. All smoking rooms must be on the same floor, must be contiguous, and must be separately ventilated. Smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (9/4/08)

Mesquite, TX: At least 90% of rooms must be nonsmoking. (6/14/09)

Nacogdoches, TX: At least 75% of rooms must be nonsmoking. (6/27/08)

Pasadena, TX: At least 65% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (9/1/07)

Pearland, TX: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (11/16/07)

Plano, TX: At least 90% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (6/1/07)

Richardson, TX: At least 90% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (9/1/08)

Robinson, TX: At least 75% of rooms must be nonsmoking. (5/9/02)

San Antonio, TX: At least 75% of rooms must be nonsmoking. (1/1/04)

Santa Fe, TX: At least 75% of rooms must be nonsmoking. (9/8/05)

Seabrook, TX: At least 75% of rooms must be nonsmoking. (11/20/07)

Socorro, TX: At least 75% of rooms must be nonsmoking. (12/8/06)

Sweeny, TX: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (1/1/08)

Texarkana, TX: At least 80% of rooms must be nonsmoking. (2/23/05)

Vernon, TX: At least 50% of rooms must be nonsmoking. (7/1/06)

Waco, TX: At least 75% of rooms must be nonsmoking. (11/17/09)

Woodway, TX: At least 75% of rooms must be nonsmoking. (7/14/04)

Mason County, WA: At least 75% of rooms must be nonsmoking. (4/4/06)

Barbour County, WV: 75% of rooms must be nonsmoking. (11/15/05)

Boone County, WV: At least 75% of rooms must be nonsmoking. (8/1/05)

Cabell County, WV: 75% of rooms must be nonsmoking. (1/11/02)

Fayette County, WV: At least 75% of rooms must be nonsmoking. (10/1/08)

Grant County, WV: 100% of rooms must be nonsmoking. (9/1/09)

Greenbrier County, WV: At least 75% of rooms must be nonsmoking. (7/18/04)

Hardy County, WV: 75% of rooms must be nonsmoking. (4/1/00)

Harrison County, WV: At least 75% of rooms must be nonsmoking. (1/1/09)

Kanawha County, WV: 75% of rooms must be nonsmoking. (7/3/03)

Lincoln County, WV: At least 75% of rooms must be nonsmoking. (7/1/02)

Logan County, WV: At least 75% of rooms must be nonsmoking. In facilities constructed after effective date of regulation (9/1/05), designated smoking rooms must be separately ventilated. (9/1/05)

McDowell County, WV: 75% of rooms must be nonsmoking. (7/1/06)

Mineral County, WV: At least 75% of rooms must be nonsmoking. (7/1/06)

Mingo County, WV: At least 75% of rooms must be nonsmoking. (4/1/06)

Monroe County, WV: At least 75% of rooms must be nonsmoking. (1/1/06)

Nicholas County, WV: At least 75% of rooms must be nonsmoking. (1/1/04)

Ohio County, WV: Gaming establishments must designate rooms as either smoking or nonsmoking. (5/27/05)

Pendleton County, WV: At least 75% of rooms must be nonsmoking. (5/5/01)

Pocahontas County, WV: At least 75% of rooms must be nonsmoking. Smoking rooms must be completely enclosed and separately ventilated. (7/1/07)

Preston County, WV: 75% of rooms must be nonsmoking. (8/8/01)

Raleigh County, WV: At least 75% of rooms must be nonsmoking. (11/25/04)

Randolph County, WV: 75% of rooms must be nonsmoking. (8/1/07)

Summers County, WV: 75% of rooms must be nonsmoking. (10/20/05)

Tucker County, WV: At least 75% of rooms must be nonsmoking. (3/1/03)

Wayne County, WV: At least 75% of rooms must be nonsmoking. (9/10/04)

Webster County, WV: At least 75% of rooms must be nonsmoking. (7/15/04)

Wyoming County, WV: At least 75% of rooms must be nonsmoking. Smoking rooms in hotels and motels constructed after 8/1/07 must be separately ventilated. (8/1/07)

Appleton, WI: At least 75% of rooms must be nonsmoking. (7/1/05)

Beaver Dam, WI: 100% of rooms must be nonsmoking. (7/5/10)

Beloit, WI: At least 80% of rooms must be nonsmoking. (7/1/07)

Bristol, WI: At least 80% of rooms must be nonsmoking. (9/3/04)

Dane County, WI: At least 75% of rooms must be nonsmoking. (8/15/09)

De Pere, WI: 100% of rooms must be nonsmoking. (7/5/10)

Fitchburg, WI: At least 90% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (4/1/08)

Fond du Lac, WI: At least 80% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. (1/22/09)

Green Bay, WI: 100% of rooms must be nonsmoking. (7/5/10)

Hudson, WI: 100% of rooms must be nonsmoking. (4/8/10)

Lincoln County, WI: 100% of rooms must be nonsmoking. (7/5/10)

Madison, WI: At least 75% of rooms must be nonsmoking. (4/20/04)

Menomonie, WI: At least 75% of rooms must be nonsmoking. (9/13/06)

Middleton, WI: No specified percentage; all smoking rooms must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. (3/15/09)

Monona, WI: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (6/1/09)

Neenah, WI: 100% of rooms must be nonsmoking. (7/5/10)

Oneida County, WI: 100% of rooms must be nonsmoking. (7/5/10)

Rhineland, WI: 100% of rooms must be nonsmoking. (7/5/10)

Shorewood, WI: At least 75% of rooms must be nonsmoking. (7/1/09)

Somerset, WI: 100% of rooms must be nonsmoking. (7/5/10)

Stevens Point, WI: At least 75% of rooms must be nonsmoking. (4/1/06)

Burlington, WY: At least 75% of rooms must be nonsmoking. All smoking rooms on the same floor must be contiguous and smoke must not infiltrate into areas where smoking is prohibited. The status of rooms may not be changed, except to add more nonsmoking rooms. (10/9/08)

© Copyright 1998 – 2010 American Nonsmokers' Rights Foundation. All rights reserved.

[LS-19]